



# Unterlinden Outdoor

Herzog & de Meuron

**Artemide**<sup>®</sup>

# Authors

## Herzog & de Meuron

Established in Basel in 1978, Herzog & de Meuron is a partnership led by Jacques Herzog and Pierre de Meuron together with Senior Partners Christine Binswanger, Ascan Mergenthaler, Stefan Marbach, Esther Zumsteg, and Jason Frantzen. An international team of nearly 500 collaborators including the two Founders, five Senior Partners, nine Partners, and 42 Associates work on projects across Europe, the Americas and Asia. The main office is in Basel with additional offices in London, New York, Hong Kong, Berlin and Copenhagen.

The practice has designed a wide range of projects from the small scale of a private home to the large scale of urban design. Many projects are highly recognized public facilities, such as museums, stadiums, and hospitals, and they have completed distinguished private projects including offices, laboratories and apartment buildings. Awards received include the Pritzker Architecture Prize (USA) in 2001, the RIBA Royal Gold Medal (UK), the Praemium Imperiale (Japan), both in 2007, and the Mies Crown Hall Americas Prize (USA) in 2014.



# Unterlinden Outdoor

Herzog & de Meuron  
2022

The characteristic aluminum head of the Unterlinden indoor family grows in a version with a 17 cm diameter instead of 11 cm, to obtain superior light performance and give rise to a perfect version for outdoor settings too.

In the bollard version, the rod exits the centre of the head without compromising its luminous efficiency achieved thanks to a special optics that opens the light along the path.

In the entire Unterlinden family, simplicity is combined with sophistication, expressed in well-balanced and understated shapes, devised with accurate care for details: functional, elegant and unique both in textures and finishes.



# Unterlinden Outdoor

**Materials:**

Aluminium structure, aluminium lamp body,  
technopolymer diffuser.

**Colours:**

Aluminium  
Black

**Dimensions:**

Unterlinden Bollard: Ø175 x 146 x h 902 mm

Unterlinden Suspended: Ø175 x 141 x h 1180 mm

Unterlinden Wall: Ø175 x 141 x h 632 mm



# Bollard Version







# Suspension Version





# Wall Version















# Unterlinden Outdoor Family

**Materials:** Alluminium

**Diffuser:**

● Alluminium

**Body:**

● Black

CCT: 3000K

CRI=90

**Unterlinden Bollard:**

Total Power: 8W

Delivered Luminous Flux: 850 lm

**Unterlinden Suspension:**

Total Power: 15W



Delivered Luminous Flux: 1325 lm

**Unterlinden Wall:**



Total Power: 15W

Delivered Luminous Flux: 1325 lm



Unterlinden outdoor  
Bollard



Unterlinden outdoor  
Suspension




Unterlinden outdoor  
Wall



### BOLLARD

Heigth  
902 mm


Code  
**T0792010**



### SUSPENSION

Heigth  
1180 mm


Code  
**T0790010**



### WALL

Heigth  
632 mm

Code  
**T0791010**







## Headquarters

### Artemide S.p.A.

Via Bergamo, 18  
20006 Pregnana Milanese (MI), Italy  
Tel. +39 02 93518.1  
Tel. +39 02 93526.1  
Numero verde 800 834 093  
(from Italy only)  
info@artemide.com  
artemide.com



ISO 9001:2015



ISO 14001:2015



ISO 45001:2018



CTF STAGE2  
ISO 17025

### Artemide S.p.A.

si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

### Artemide S.p.A.

reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

### Artemide S.p.A.

se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

### Artemide S.p.A.

behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildeten Produkte zu ändern.

### Artemide S.p.A.

se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálogo.